

CompTIA A+ Certification Exam Objectives

Exam Number: 220-801

Introduction

In order to receive CompTIA A+ certification a candidate must pass two exams. The first exam is CompTIA A+ 220-801 Certification Exam. The CompTIA A+ 220-801 examination measures necessary competencies for an entry-level IT professional with the equivalent knowledge of at least 12 months of hands-on experience in the lab or field. Successful candidates will have the knowledge required to assemble components based on customer requirements, install, configure and maintain devices, PCs and software for end users, understand the basics of networking and security/forensics, properly and safely diagnose, resolve and document common hardware and software issues while applying troubleshooting skills. Successful candidates will also provide appropriate customer support; understand the basics of virtualization, desktop imaging, and deployment.

CompTIA A+ is accredited by ANSI to show compliance with the ISO 17024 Standard and, as such, undergoes regular reviews and updates to the exam objectives. The following CompTIA A+ 220-801 exam objectives result from subject matter expert workshops and industry-wide survey results regarding the skills and knowledge required of an entry-level IT professional. The percentages in this document represent the relative importance of the subject areas (domains) in the associated body of knowledge, and together establish the foundation of an entry-level IT professional.

This examination blueprint includes domain weighting, test objectives, and example content. Example topics and concepts are included to clarify the test objectives and should not be construed as a comprehensive listing of all the content of this examination.

Candidates are encouraged to use this document to guide their studies. The table below lists the domains measured by this examination and the extent to which they are represented. The CompTIA A+ 220-801 exam is based on these objectives.

| Domain | Percentage of Examination |
|------------------------|---------------------------|
| PC Hardware | 40% |
| Networking | 27% |
| Laptops | 11% |
| Printers | 11% |
| Operational Procedures | 11% |
| | |
| Total | 100% |

^{**}Note: The lists of examples provided in bulleted format below each objective are not exhaustive lists. Other examples of technologies, processes or tasks pertaining to each objective may also be included on the exam although not listed or covered in this objectives document.

CompTIA is constantly reviewing the content of our exams and updating test questions to be sure our exams are current and the security of the questions is protected. When necessary, we will publish updated

CompTIA A+ 220-801 Certification Exam Objectives

version3

exams based on existing exam objectives. Please know that all related exam preparation materials will still be valid.

1.0 PC Hardware

1.1 Configure and apply BIOS settings.

- Install firmware upgrades flash BIOS
- BIOS component information
 - o RAM
 - Hard drive
 - o Optical drive
 - o CPU
- BIOS configurations
 - Boot sequence
 - Enabling and disabling devices
 - o Date/time
 - Clock speeds
 - Virtualization support
 - BIOS security (passwords, drive encryption: TPM, lo-jack)
- Use built-in diagnostics
- Monitoring
 - Temperature monitoring
 - Fan speeds
 - Intrusion detection/notification
 - o Voltage
 - o Clock
 - o Bus speed

1.2 Differentiate between motherboard components, their purposes, and properties.

- Sizes
 - o ATX
 - o Micro-ATX
 - o ITX
- Expansion slots
 - o PCI
 - o PCI-X
 - o PCIe
 - o miniPCI
 - o CNR
 - o AGP2x, 4x, 8x
- RAM slots
- CPU sockets
- Chipsets
 - North Bridge
 - o South Bridge
 - CMOS battery
- Jumpers
- Power connections and types
- Fan connectors
- Front panel connectors
 - o USB
 - o Audio
 - o Power button
 - o Power light

- o Drive activity lights
- Reset button
- Bus speeds

1.3 Compare and contrast RAM types and features.

- Types
 - o DDR
 - o DDR2
 - o DDR3
 - o SDRAM
 - o SODIMM
 - o RAMBUS
 - o DIMM
 - o Parity vs. non-parity
 - o ECC vs. non-ECC
 - o RAM configurations
 - Single channel vs. dual channel vs. triple channel
 - Single sided vs. double sided
- · RAM compatibility and speed

1.4 Install and configure expansion cards.

- Sound cards
- Video cards
- Network cards
- Serial and parallel cards
- USB cards
- Firewire cards
- Storage cards
- Modem cards
- Wireless/cellular cards
- TV tuner cards
- Video capture cards
- Riser cards

1.5 Install and configure storage devices and use appropriate media.

- Optical drives
 - o CD-ROM
 - o DVD-ROM
 - Blu-Ray
- Combo drives and burners
 - o CD-RW
 - o DVD-RW
 - o Dual Layer DVD-RW
 - o BD-R
 - o BD-RE
- Connection types
 - External
 - USB
 - Firewire
 - eSATA
 - Ethernet
 - o Internal SATA, IDE and SCSI
 - IDE configuration and setup (Master, Slave, Cable Select)
 - SCSI IDs (0 15)
 - Hot swappable drives
- Hard drives
 - Magnetic

- o 5400 rpm
- o 7200 rpm
- o 10,000 rpm
- o 15,000 rpm
- Solid state/flash drives
 - o Compact flash
 - o SD
 - o Micro-SD
 - o Mini-SD
 - \circ xD
 - o SSD
- RAID types
 - \circ 0
 - 0 1
 - 0 5
 - 0 10
- Floppy drive
- Tape drive
- Media capacity
 - o CD
 - o CD-RW
 - o DVD-RW
 - o DVD
 - o Blu-Ray
 - o Tape
 - o Floppy
 - o DVD DL

1.6 Differentiate among various CPU types and features and select the appropriate cooling method.

- Socket types
 - o Intel: LGA, 775, 1155, 1156, 1366
 - o AMD: 940, AM2, AM2+, AM3, AM3+, FM1, F
- Characteristics
 - o Speeds
 - o Cores
 - Cache size/type
 - Hyperthreading
 - Virtualization support
 - o Architecture (32-bit vs. 64-bit)
 - o Integrated GPU
- Cooling
 - o Heat sink
 - o Fans
 - Thermal paste
 - o Liquid-based

1.7 Compare and contrast various connection interfaces and explain their purpose.

- Physical connections
 - USB 1.1 vs. 2.0 vs. 3.0 speed and distance characteristics
 - Connector types: A, B, mini, micro
 - o Firewire 400 vs. Firewire 800 speed and distance characteristics
 - SATA1 vs. SATA2 vs. SATA3, eSATA, IDE speeds
 - Other connector types
 - Serial
 - Parallel
 - VGA

- **HDMI**
- DVI
- Audio
- **RJ-45**
- **RJ-11**
- Analog vs. digital transmission
 - VGA vs. HDMI
- Speeds, distances and frequencies of wireless device connections
 - o Bluetooth
 - IR
 - RF 0

1.8 Install an appropriate power supply based on a given scenario.

- Connector types and their voltages
 - **SATA**
 - 0 Molex
 - 4/8-pin 12v 0
 - PCIe 6/8-pin
 - 20-pin 0
 - 24-pin
 - Floppy 0
- Specifications
 - 0 Wattage
 - Size
 - 0
 - Number of connectors
 - ATX
 - Micro-ATX 0
- Dual voltage options

1.9 Evaluate and select appropriate components for a custom configuration, to meet customer specifications or needs.

- Graphic / CAD / CAM design workstation
 - Powerful processor
 - High-end video
 - 0 Maximum RAM
- Audio/Video editing workstation
 - Specialized audio and video card
 - Large fast hard drive
 - **Dual monitors**
- Virtualization workstation
 - 0 Maximum RAM and CPU cores
- Gaming PC
 - o Powerful processor
 - High-end video/specialized GPU
 - Better sound card
 - High-end cooling
- Home Theater PC
 - Surround sound audio
 - HDMI output
 - HTPC compact form factor
 - 0 TV tuner
- Standard thick client
 - Desktop applications
 - Meets recommended requirements for running Windows
- Thin client
 - Basic applications

- o Meets minimum requirements for running Windows
- Home Server PC
 - Media streaming
 - File sharing
 - Print sharing
 - o Gigabit NIC
 - o RAID array

1.10 Given a scenario, evaluate types and features of display devices.

- Types
 - o CRT
 - o LCD
 - o LED
 - o Plasma
 - o Projector
 - OLED
- Refresh rates
- Resolution
- Native resolution
- Brightness/lumens
- Analog vs. digital
- Privacy/antiglare filters
- Multiple displays

1.11 Identify connector types and associated cables.

- Display connector types
 - o DVI-D
 - o DVI-I
 - o DVI-A
 - o DisplayPort
 - o RCA
 - o HD15 (i.e. DE15 or DB15)
 - o BNC
 - o miniHDMI
 - o RJ-45
 - o miniDin-6
- Display cable types
 - o HDMI
 - o DVI
 - \circ VGA
 - o Component
 - Composite
 - o S-video
 - o RGB
 - o Coaxial
 - o Ethernet
- Device connectors and pin arrangements
 - o SATA
 - o eSATA
 - o PATA
 - IDE
 - EIDE
 - Floppy
 - o USB
 - o IEEE1394
 - o SCSI

- o PS/2
- o Parallel
- o Serial (DB-9)
- Audio
- o RJ-45
- Device cable types
 - o SATA
 - eSATA
 - o IDE
 - o EIDE
 - o Floppy
 - o USB
 - o IEEE1394
 - o SCSI
 - 68pin vs. 50pin vs. 25pin
 - o Parallel
 - o Serial
 - o Ethernet
 - o Phone

1.12 Install and configure various peripheral devices.

- Input devices
 - o Mouse
 - o Keyboard
 - o Touch screen
 - o Scanner
 - o Barcode reader
 - $\circ \quad KVM$
 - o Microphone
 - Biometric devices
 - o Game pads
 - o Joysticks
 - o Digitizer
- Multimedia devices
 - Digital cameras
 - Microphone
 - o Webcam
 - Camcorder
 - o MIDI enabled devices
- Output devices
 - o Printers
 - o Speakers
 - Display devices

2.0 Networking

2.1 Identify types of network cables and connectors.

- Fiber
 - o Connectors: SC, ST and LC
- Twisted Pair
 - o Connectors: RJ-11, RJ-45
 - o Wiring standards: T568A, T568B
- Coaxial
 - o Connectors: BNC, F-connector

2.2 Categorize characteristics of connectors and cabling.

- Fiber
 - O Types (single-mode vs. multi-mode)
 - Speed and transmission limitations
- Twisted pair
 - o Types: STP, UTP, CAT3, CAT5, CAT5e, CAT6, plenum, PVC
 - o Speed and transmission limitations
- Coaxial
 - o Types: RG-6, RG-59
 - o Speed and transmission limitations

2.3 Explain properties and characteristics of TCP/IP.

- IP class
 - o Class A
 - o Class B
 - o Class C
- IPv4 vs. IPv6
- Public vs. private vs. APIPA
- Static vs. dynamic
- Client-side DNS
- DHCP
- Subnet mask
- Gateway

2.4 Explain common TCP and UDP ports, protocols, and their purpose.

- Ports
 - o 21 FTP
 - o 23 TELNET
 - 25 SMTP
 - o 53 DNS
 - 80 HTTP
 - o 110 POP3
 - o 143 IMAP
 - o 443 HTTPS
 - o 3389 RDP
- Protocols
 - o DHCP
 - o DNS
 - LDAP
 - o SNMP
 - o SMB
 - o CIFS
 - o SSH
 - o SFTP
- TCP vs. UDP

2.5 Compare and contrast wireless networking standards and encryption types.

- Standards
 - \circ 802.11 a/b/g/n
 - o Speeds, distances and frequencies
- Encryption types
 - o WEP, WPA, WPA2, TKIP, AES

2.6 Install, configure, and deploy a SOHO wireless/wired router using appropriate settings.

- MAC filtering
- Channels (1 − 11)
- Port forwarding, port triggering
- SSID broadcast (on/off)

- Wireless encryption
- Firewall
- DHCP (on/off)
- DMZ
- NAT
- WPS
- Basic QoS

2.7 Compare and contrast Internet connection types and features.

- Cable
- DSL
- Dial-up
- Fiber
- Satellite
- ISDN
- Cellular (mobile hotspot)
- Line of sight wireless internet service
- WiMAX

2.8 Identify various types of networks.

- LAN
- WAN
- PAN
- MAN
- Topologies
 - o Mesh
 - o Ring
 - o Bus
 - Star
 - Hybrid

2.9 Compare and contrast network devices, their functions, and features.

- Hub
- Switch
 - o PoE
- Router
- Access point
- Bridge
- Modem
- NAS
- Firewall
- VoIP phones
- Internet appliance

2.10 Given a scenario, use appropriate networking tools.

- Crimper
- Multimeter
- Toner probe
- Cable tester
- · Loopback plug
- Punchdown tool

3.0 Laptops

3.1 Install and configure laptop hardware and components.

Expansion options

- Express card /34
- Express card /54
- o PCMCIA
- SODIMM
- o Flash
- Hardware/device replacement
 - Keyboard
 - o Hard Drive (2.5 vs. 3.5)
 - o Memory
 - Optical drive
 - o Wireless card
 - o Mini-PCIe
 - o screen
 - DC jack
 - Battery
 - Touchpad
 - o Plastics
 - o Speaker
 - System board
 - o CPU
- 3.2 Compare and contrast the components within the display of a laptop.
 - Types
 - o LCD
 - o LED
 - o OLED
 - o Plasma
 - Wi-Fi antenna connector/placement
 - Inverter and its function
 - Backlight

3.3 Compare and contrast laptop features.

- Special function keys
 - o Dual displays
 - o Wireless (on/off)
 - Volume settings
 - o Screen brightness
 - o Bluetooth (on/off)
 - Keyboard backlight
- Docking station vs. port replicator
- Physical laptop lock and cable lock

4.0 Printers

$4.1\,$ Explain the differences between the various printer types and summarize the associated imaging process.

- Laser
 - Imaging drum, fuser assembly, transfer belt, transfer roller, pickup rollers, separate pads, duplexing assembly
 - Imaging process: processing, charging, exposing, developing, transferring, fusing and cleaning
- Inkjet
 - Ink cartridge, print head, roller, feeder, duplexing assembly, carriage and belt
 - o Calibration
- Thermal
 - o Feed assembly, heating element

- o Special thermal paper
- Impact

0

- Print head, ribbon, tractor feed
- Impact paper

4.2 Given a scenario, install, and configure printers.

- Use appropriate printer drivers for a given operating system
- Print device sharing
 - Wired
 - USB
 - Parallel
 - Serial
 - Ethernet
 - Wireless
 - Bluetooth
 - 802.11x
 - Infrared (IR)
 - Printer hardware print server
- Printer sharing
 - Sharing local/networked printer via Operating System settings

4.3 Given a scenario, perform printer maintenance.

- Laser
 - o Replacing toner, applying maintenance kit, calibration, cleaning
- Thermal
 - o Replace paper, clean heating element, remove debris
- Impact
 - o Replace ribbon, replace print head, replace paper

5.0 Operational Procedures

5.1 Given a scenario, use appropriate safety procedures.

- ESD straps
- ESD mats
- Self-grounding
- Equipment grounding
- Personal safety
 - Disconnect power before repairing PC
 - Remove jewelry
 - Lifting techniques
 - Weight limitations
 - o Electrical fire safety
 - CRT safety proper disposal
 - Cable management
- Compliance with local government regulations

5.2 Explain environmental impacts and the purpose of environmental controls.

- · MSDS documentation for handling and disposal
- Temperature, humidity level awareness and proper ventilation
- Power surges, brownouts, blackouts
 - Battery backup
 - Surge suppressor
- Protection from airborne particles
 - Enclosures
 - Air filters
- Dust and debris
 - o Compressed air

- o Vacuums
- Component handling and protection
 - o Antistatic bags
- Compliance to local government regulations

${\bf 5.3}\ \ Given\ a\ scenario,\ demonstrate\ proper\ communication\ and\ professionalism.}$

- Use proper language avoid jargon, acronyms, slang when applicable
- Maintain a positive attitude
- Listen and do not interrupt the customer
- Be culturally sensitive
- Be on time (if late contact the customer)
- Avoid distractions
 - o Personal calls
 - Talking to co-workers while interacting with customers
 - Personal interruptions
- Dealing with difficult customer or situation
 - Avoid arguing with customers and/or being defensive
 - Do not minimize customer's problems
 - Avoid being judgmental
 - Clarify customer statements (ask open ended questions to narrow the scope of the problem, restate the issue or question to verify understanding)
- Set and meet expectations/timeline and communicate status with the customer
 - Offer different repair/replacement options if applicable
 - Provide proper documentation on the services provided
 - o Follow up with customer/user at a later date to verify satisfaction
- Deal appropriately with customers confidential materials
 - o Located on a computer, desktop, printer, etc

5.4 Explain the fundamentals of dealing with prohibited content/activity.

- First response
 - o Identify
 - o Report through proper channels
 - Data/device preservation
- Use of documentation/documentation changes
- Chain of custody
 - Tracking of evidence/documenting process

CompTIA A+ Acronyms

Introduction

The following is a list of acronyms which appear on the CompTIA A+ exams. Candidates are encouraged to review the complete list and attain a working knowledge of all listed acronyms as a part of a comprehensive exam preparation program.

| ACRONYM | SPELLED OUT |
|---------|---------------------|
| AC | alternating current |
| ACL | access control list |

ACPI advanced configuration power interface

ACT activity

ADSL asymmetrical digital subscriber line

AGP accelerated graphics port

AHCI Advanced host controller interface

AMD advanced micro devices

AP Access point

APIPA automatic private internet protocol addressing

APM advanced power management
ARP address resolution protocol
ASR automated system recovery
ATA advanced technology attachment

ATAPI advanced technology attachment packet interface

ATM asynchronous transfer mode ATX advanced technology extended

A/V Audio Video

BIOS basic input/output system

BNC Bayonet-Neill-Concelman or British Naval Connector

BTX balanced technology extended

CAPTCHA Completely Automated Public Turing Test To Tell Computers and Humans

Apart

CCFL Cold Cathode Fluorescent Lamp

CD compact disc

CD-ROM compact disc-read-only memory

CD-RW compact disc-rewritable CDFS compact disc file system

CFS Central File System, Common File System, Command File System

CompTIA A+ 220-801 Certification Exam Objectives

version3

13 of 21

CIFS Common Internet File System

CMOS complementary metal-oxide semiconductor
CNR Communications and Networking Riser
COMx communication port (x=port number)

CPU central processing unit

CRIMM Continuity Rambus Inline Memory Mode

CRT cathode-ray tube

DAC discretionary access control

DB-25 serial communications D-shell connector, 25 pins

DB-9 9 pin D shell connector

DC direct current

DDOS distributed denial of service

DDR double data-rate

DDR RAM double data-rate random access memory

DDR SDRAM double data-rate synchronous dynamic random access memory

DFS distributed file system

DHCP dynamic host configuration protocol

DIMM dual inline memory module
DIN Deutsche Industrie Norm
DIP dual inline package
DLT digital linear tape
DLP digital light processing
DMA direct memory access
DMZ demilitarized zone

DNS domain name service or domain name server

DOS denial of service

DRAM dynamic random access memory

DSL digital subscriber line

DVD digital video disc or digital versatile disc
DVD-RAM digital video disc-random access memory
DVD-ROM digital video disc-read only memory

DVD-R digital video disc-recordable DVD-RW digital video disc-rewritable

DVI digital visual interface
ECC error correction code
ECP extended capabilities port

EEPROM electrically erasable programmable read-only memory

EFS encrypting file system

EIDE enhanced integrated drive electronics

EMI electromagnetic interference EMP electromagnetic pulse

EPROM erasable programmable read-only memory

EPP enhanced parallel port ERD emergency repair disk ESD electrostatic discharge

EVGA extended video graphics adapter/array

EVDO evolution data optimized or evolution data only

FAT file allocation table

FAT12 12-bit file allocation table FAT16 16-bit file allocation table FAT32 32-bit file allocation table

FDD floppy disk drive

Fin Function (referring to the function key on a laptop)

FPM fast page-mode
FRU field replaceable unit
FSB Front Side Bus
FTP file transfer protocol

FQDN fully qualified domain name

Gb gigabit
GB gigabyte

GDI graphics device interface

GHz gigahertz

GUI graphical user interface
GPS global positioning system

GSM global system for mobile communications

HAL hardware abstraction layer

HAV Hardware Assisted Virtualization
HCL hardware compatibility list

HDD hard disk drive

HDMI high definition media interface
HPFS high performance file system
HTML hypertext markup language

HTPC Home theater PC

HTTP hypertext transfer protocol

HTTPS hypertext transfer protocol over secure sockets layer

I/O input/output

ICMP internet control message protocol
ICR intelligent character recognition
IDE integrated drive electronics
IDS Intrusion Detection System

IEEE Institute of Electrical and Electronics Engineers

IIS Internet Information Services
IMAP internet mail access protocol

IP internet protocol

IPCONFIG internet protocol configuration
IPP internet printing protocol
IPSEC internet protocol security

IR infrared

IrDA Infrared Data Association

IRQ interrupt request

ISA industry standard architecture
ISDN integrated services digital network
ISO Industry Standards Organization

ISP internet service provider
JBOD just a bunch of disks

Kb kilobit

KB Kilobyte or knowledge base

LAN local area network
LBA logical block addressing

LC Lucent connector
LCD liquid crystal display

LDAP lightweight directory access protocol

LED light emitting diode

Li-on lithium-ion

LPD/LPR line printer daemon / line printer remote

LPT line printer terminal LVD low voltage differential

MAC media access control / mandatory access control
MAPI messaging application programming interface
MAU media access unit, media attachment unit

Mb megabit MB megabyte

MBR master boot record

MBSA Microsoft Baseline Security Analyzer

MCA Micro Channel Architecture
MFD multi-function device
MFP multi-function product

MHz megahertz

MicroDIMM micro dual inline memory module
MIDI musical instrument digital interface
MIME multipurpose internet mail extension
MIMO Multiple Input Multiple Output
MMC Microsoft management console

MMX multimedia extensions

MP3 Moving Picture Experts Group Layer 3 Audio
MP4 Moving Picture Experts Group Layer 4

MPEG Moving Picture Experts Group

MSCONFIG Microsoft configuration
MSDS material safety data sheet
MUI multilingual user interface
NAC network access control
NAS network-attached storage

NAT network address translation

NetBIOS networked basic input/output system

NetBEUI networked basic input/output system extended user interface

NFS network file system NIC network interface card NiCd nickel cadmium NiMH nickel metal hydride NLX new low-profile extended **NNTP** network news transfer protocol **NTFS** new technology file system **NTLDR** new technology loader NTP Network Time Protocol **OCR** optical character recognition **OEM** original equipment manufacturer

OS operating system
PAN personal area network

PATA parallel advanced technology attachment

Organic Light Emitting Diode

PC personal computer

OLED

PCI peripheral component interconnect

PCIe peripheral component interconnect express
PCIX peripheral component interconnect extended

PCL printer control language

PCMCIA Personal Computer Memory Card International Association

PDA personal digital assistant

PGA pin grid array PGA2 pin grid array 2

PII Personally Identifiable Information
PIN personal identification number
PKI public key infrastructure

PnP plug and play

POP3 post office protocol 3

PoS Point of Sale
POST power-on self test

POTS plain old telephone service PPP point-to-point protocol

PPTP point-to-point tunneling protocol

PRI primary rate interface

PROM programmable read-only memory
PS/2 personal system/2 connector
PSTN public switched telephone network

PSU power supply unit
PVC permanent virtual circuit
PXE preboot execution environment

QoS quality of service

RAID redundant array of independent (or inexpensive) discs

RAM random access memory RAS remote access service

RDRAM RAMBUS® dynamic random access memory

RDP Remote Desktop Protocol

RF radio frequency

RFI radio frequency interference

RGB red green blue

RIMM RAMBUS® inline memory module
RIP routing information protocol
RIS remote installation service
RISC reduced instruction set computer

RJ registered jack

RJ-11 registered jack function 11
RJ-45 registered jack function 45
RMA returned materials authorization

ROM read only memory

RS-232 or RS-232C recommended standard 232

RTC real-time clock
SAN storage area network
SAS Serial Attached SCSI

SATA serial advanced technology attachment

SC subscription channel SCP secure copy protection

SCSI small computer system interface

SCSI ID small computer system interface identifier

SD card secure digital card

SDRAM synchronous dynamic random access memory

SEC single edge connector
SFC system file checker
SFF Small Form Factor

SGRAM synchronous graphics random access memory

SIMM single inline memory module

SLI scalable link interface or system level integration or scanline interleave mode

S.M.A.R.T. self-monitoring, analysis, and reporting technology SMB server message block or small to midsize business

SMTP simple mail transfer protocol

SNMP simple network management protocol
SoDIMM small outline dual inline memory module

SOHO small office/home office

SP service pack
SP1 service pack 1
SP2 service pack 2

version3

SP3 service pack 3 SP4 service pack 4

SPDIF Sony-Philips digital interface format

SPGA staggered pin grid array
SRAM static random access memory

SSH secure shell

SSID service set identifier SSL secure sockets layer

ST straight tip

STP shielded twisted pair
SVGA super video graphics array
SXGA super extended graphics array

TB terabyte

TCP transmission control protocol

TCP/IP transmission control protocol/internet protocol

TDR time domain reflectometer
TFTP trivial file transfer protocol
TKIP Temporal Key Integrity Protocol

TPM trusted platform module UAC user account control

UART universal asynchronous receiver transmitter

UDF user defined functions or universal disk format or universal data format

UDMA ultra direct memory access **UDP** user datagram protocol **UNC** universal naming convention **UPS** uninterruptible power supply **URL** uniform resource locator **USB** universal serial bus **USMT** user state migration tool UTP unshielded twisted pair **UXGA** ultra extended graphics array

VESA Video Electronics Standards Association

VFAT virtual file allocation table
VGA video graphics array
VM Virtual Machine

VoIP voice over internet protocol
VPN virtual private network
VRAM video random access memory

WAN wide area network

WAP wireless application protocol
WEP wired equivalent privacy

WIFI wireless fidelity

WINS windows internet name service
WLAN wireless local area network

WPA wireless protected access
WPS WiFi Protected Setup

WUXGA wide ultra extended graphics array

XGA extended graphics array
ZIF zero-insertion-force
ZIP zigzag inline package

A+ Proposed Hardware and Software List

** CompTIA has included this sample list of hardware and software to assist candidates as they prepare for the A+ exam. This list may also be helpful for training companies who wish to create a lab component to their training offering. The bulleted lists below each topic are a sample list and not exhaustive.

Equipment

- iPad tablet
- Android tablet
- Laptop
- Desktop
- Monitors
- SOHO Router/switch
- Access point
- Printer (laser/wireless)
- Power strips
- Surge suppressor
- UPS

Spare parts/hardware

CompTIA A+ 220-801 Certification Exam Objectives

version3

20 of 21

- Motherboards
- RAM
- Hard drives
- Power supplies
- Video cards
- Sounds cards
- Network cards
- Wireless NICs
- Fans/cooling devices
- CPUs
- Connectors/cables
- Adapters
- Network cables/connectors
- AC adapters
- Optical drives
- Jumpers/screws/stand-offs
- Cases
- Bulk cable
- Maintenance kit

Tools

- Screw drivers
- Multimeter
- Wire cutters
- Punchdown tool
- Crimper
- Power supply tester
- Cable stripper
- POST cards
- Standard technician toolkit
- ESD strap

Software

- Operating system disks (WinXP, Vista, Windows 7)
- Antivirus software
- Virtualization software
- Anti-malware
- Driver software
- Anti-spyware